



Modelling the thermodynamic equilibrium of struvite precipitation using a hybrid optimization technique

Claudia Santiviago Petzoldt csantiviago@qui.una.py

Iván López Moreda ivanl@fing.edu.uy



1

AGENCIA NACIONAL DE INVESTIGACIÓN E INNOVACIÓN



NUTRIENTS IN WASTEWATER

"

Agro-industrial wastewater streams, such as concentrated slaughterhouse wastewater, present high concentrations of nutrients that generally exceed those accepted for the discharge standards



NEGATIVE IMPACTS OF NUTRIENT DISCHARGED

01 Eutrophication



Excessive richness of nutrients in bodies of water, causes a dense growth of plant life and death of animal life from lack of oxygen.

NEGATIVE IMPACTS OF NUTRIENT DISCHARGED

02


Crystalline deposits by uncontrolled deposition of phosphate salts in wastewater treatment systems



^[1] Bowers, 2011.

NEGATIVE IMPACTS OF NUTRIENT DISCHARGED

Phosphorus: an increasingly limited resource



03



"Phosphorus is the limiting resource, the bottleneck of agriculture and therefore of the global food security"



Main models developed estimate that the duration of P reserves will be **between 50** and 100 years.

Consumption in 2015: 43.7 million MT^[2]

Thus it is necessary to consider appropriate treatments that reduce the concentration of nutrients, seeking to ensure economic, social and environmental sustainability of these activities.

An alternative solution that allows the recovery of nutrients in wastewater is the crystallization as struvite.

STRUVITE PRECIPITATION


"

Precipitation of *struvite* can be conceived as one of the main processes for recovery P and N from agro-industrial wastewater streams



IJ

Struvite crystals




Magnesium ammonium phosphate hexahydrate: MgNH₄PO₄.6H₂O

PREDICTION OF POTENTIAL NUTRIENT REMOVAL FROM WASTEWATER STREAM

 $MgCl_2.6H_2O$

- Essential tool for design crystallization reactors.
- Definition of the optimum operational conditions for each influent.
- It allows to evaluate the operational efficiency.
- To know the conditions under which struvite precipitation is likely to occur to avoid its uncontrolled deposition.

 P_0



STRUVITE PRECIPITATION THERMODYNAMIC

- Mg²⁺, NH₄⁺ and PO₄³⁻ concentrations
- pH
- Supersaturation ratio
- Ionic strength
- Temperature
- Reaction time

$$\begin{split} Mg^{2+} + NH_4^+ + PO_4^{3-} + 6H_2O &\leftrightarrow MgNH_4PO_4.6H_2O \\ \\ K_{PS} &= a_{Mg^{2+}} \cdot a_{NH_4^+} \cdot a_{PO_4^{3-}} \end{split} \label{eq:KPS}$$
 Struvite solubility product

STRUVITE PRECIPITATION THERMODYNAMIC

$$a_{i} = \gamma_{i} \cdot [C_{i}]$$

$$a_{i} = \gamma_{i} \cdot [C_{i}]$$

$$Calculated with Davies Equation:$$

$$log \gamma_{i} = -A_{DH} Z_{i}^{2} \left[\left(\frac{I^{0.5}}{1 + I^{0.5}} \right) - 0.3I \right]$$

$$Debye-Hückel constant:$$

$$A_{DH} = 1.82 \ 10^{6} (\varepsilon T)^{3/2}$$

STRUVITE PRECIPITATION THERMODYNAMIC

Supersaturation of the solution is the key parameter leading to crystallization

The supersaturation ratio (S_c) is calculated using the equation:

$$S_{C} = \left(\frac{P_{S}}{P_{Seq}}\right)^{1/3} \longrightarrow \text{Product of analytical molar concentration}$$

$$\Rightarrow \text{Equilibrium conditional solubility product}$$

Sc > 1.0 indicates that supersaturated conditions exist and that precipitation is possible

- Sc = 1 characterizes the saturated condition
- Sc < 1 indicates an undersaturated solution

MODEL FORMULATION

A struvite precipitation model at least requires the incorporation of concentrations of :

- Ionic species: Mg²⁺, NH₄⁺ and PO₄³⁻
- Dissolved species: NH₃ (aq) and H₃PO₄
- Solid compound: MgNH₄PO₄.6H₂O

The complexity of the models depends on the number of soluble and solid species considered.

- Ionic species: H₂PO₄⁻, HPO₄²⁻, MgH₂PO₄⁺, MgOH⁺, MgPO₄⁻
- Dissolved species: NH₃ (gas), MgHPO₄
- Solid compounds: Mg(OH)₂ (brucite), Mg₃(PO₄)₂·8H₂O (bobierrite), Mg₃(PO₄)₂·22H₂O (cattiite), and MgHPO₄.3H₂O (newberyite)

MODEL FORMULATION

This research considers the equations for ions, dissolved and solids species given in the table:

j	Reaction <i>j</i>	рК _ј		
(1)	$H_3PO_4 \leftrightarrows H_2PO_4^- + H^+$	2.15		
(2)	$H_2PO_4^- \leftrightarrows HPO_4^{2-} + H^+$	7.21		
(3)	HPO ₄ ²⁻ ≒ PO4 ³⁻ + H+	12.34		
(4)	$MgH_2PO_4^+ \leftrightarrows H_2PO_4^- + Mg^{2+}$	1.51		
(5)	$MgHPO_4 \leftrightarrows HPO_4^{2-} + Mg^{2+}$	2.91	$mK = log o \Delta G^{\circ}/(RT)$	
(6)	$MgPO_4^- \cong PO_4^{3-} + Mg^{2+}$	6.59	$pK_j = -\log e^{\Delta G^{\circ}/(RT)}$	
(7)	$MgOH^{+} \leftrightarrows Mg^{2+} + OH^{-}$	2.56		
(8)	$NH_4^+ \Leftrightarrow NH_{3(aq)} + H^+$	9.25		
(9)	$H_2O \leftrightarrows OH^- + H^+$	14.00		
$Mg^{2+} + NH_4^+ + PO_4^{3-} + 6H_2O \leftrightarrow MgNH_4PO_4.6H_2O$				

MODEL ASSUMPTIONS

The thermodynamic model is formulated with the following assumptions:

- Precipitate which may be formed in assay recovery conditions is only struvite. Precipitates such as cattiite and newberyite were not taken into account. The presence of Mg(OH)₂ in the system, which compete with struvite formation at pH>10 is neglected.
- 2. All reactions are in equilibrium state. The reactions are rapid; therefore, the dynamics of the reactions are ignored and equilibrium relationships are used to determine the species concentrations.


MODEL ASSUMPTIONS

The thermodynamic model is formulated with the following assumptions:

- The system is run at isothermal and isobaric conditions: 25°C and 101.325 kPa.
- 4. Non-reactive ionic species are represented by NaCl to study the impact of ionic strength in the phosphorus removal.
- 5. pH is kept constant (6.9 10.0) by addition of NaOH or HCl, which meant that the concentration of protons and OH⁻ are known.
- 6. The formation of complexes with Cl⁻ or Na⁺ is neglected, just like complexes created since more than two ions.

MODEL FORMULATION

In a reaction system the equilibrium condition at constant temperature and pressure occurs when the Gibbs Free Energy (G) reaches a minimum



MASS AND ELECTRONEUTRALITY BALANCES

Mass balance for Mg:

 $C_{T,Mg} = C_{MgH_2PO_4}^{+} + C_{Mg^2}^{+} + C_{MgHPO_4} + C_{MgPO_4}^{-} + C_{MgOH^+} + PR \cdot C_{T,OP}$

Mass balance for orthophosphate phosphorus:

 $C_{T,OP} = C_{H_3PO_4} + C_{H_2PO_4^-} + C_{HPO_4^{2-}} + C_{PO_4^{3-}} + C_{MgPO_4^-} + C_{MgH_2PO_4^+} + C_{MgHPO_4^+} + PR \cdot C_{T,OP}$

Mass balance for ammonium:

 $C_{T_{,NH_4}} = C_{NH_4^+} + C_{NH_3} + PR \cdot C_{T,OP}$

Electroneutrality:

$$C_{Na^{+}} + C_{MgH_{2}PO_{4}^{+}} + 2 C_{Mg^{2+}} + C_{MgOH^{+}} + C_{H^{+}} + C_{NH_{4}^{+}} - C_{MgPO_{4}^{-}} - 3C_{PO_{4}^{3-}} - C_{H_{2}PO_{4}^{-}} - C_{OH^{-}} - 2 C_{HPO_{4}^{2-}} - C_{Cl^{-}} = 0$$


4 linear equality constraints in the proposed optimization problem

MASS AND ELECTRONEUTRALITY BALANCES


Reaction j	Nonlinear equality constraints
(1)	$pK_1 + log\left(\frac{\alpha_{H_2PO_4^{-}} + \alpha_{H^+}}{\alpha_{H_3PO_4}}\right) = 0$
(2)	$pK_2 + \log\left(\frac{\alpha_{HPO_4^{2-}} \cdot \alpha_{H^+}}{\alpha_{H_2PO_4^-}}\right) = 0$
(3)	$pK_3 + \log\left(\frac{\alpha_{PO_4^{3-}} \alpha_{H^+}}{\alpha_{HPO_4^{2^-}}}\right) = 0$
(4)	$pK_4 + \log\left(\frac{\alpha_{H_2PO_4^-} \cdot \alpha_{Mg^{2+}}}{\alpha_{MgH_2PO_4^+}}\right) = 0$
(5)	$pK_5 + \log\left(\frac{\alpha_{HPO_4^{2-}} \cdot \alpha_{Mg^{2+}}}{\alpha_{MgHPO_4}}\right) = 0$
(6)	$pK_6 + \log\left(\frac{\alpha_{PO_4^{3-}} \alpha_{Mg^{2+}}}{\alpha_{MgPO_4^-}}\right) = 0$
(7)	$pK_7 + \log\left(\frac{\alpha_{OH} - \alpha_{Mg^{2+}}}{\alpha_{MgOH^+}}\right) = 0$
(8)	$pK_8 + \log\left(\frac{\alpha_{NH_3} \cdot \alpha_{H^+}}{\alpha_{NH_4^+}}\right) = 0$
(9)	$pK_9 + \log\left(\frac{\alpha_{OH^-} \cdot \alpha_{H^+}}{\alpha_{H_2O}}\right) = 0$
(10)	$pK_{SP} + \log \left(a_{Mg^{2+}} \cdot a_{NH_4^{+}} \cdot a_{PO_4^{3-}} \right) = 0$

10 nonlinear equality constraints in the proposed optimization problem 18


Solving the Thermodynamic Model



MODEL VALIDATION. EXPERIMENTAL PROCEDURE




VERIFICATION OF THE PROPOSED MODEL



Predicting and measured PR (%) as struvite for P-OP =200 ppm at the molar ratios Mg/P=1 and N/P=2, T= 25° C.

VERIFICATION OF THE PROPOSED MODEL




Conditions: P-OP=200 ppm; Mg/P=1; N/P=2 T=25°C


Linear correlations between PR (%) obtained by simulated and experimental data.

Data exhibit a high correspondence between the experimental and simulated sets

Linear correlations between pH obtained by the simulated data and experimental measurements.




EFFECT OF MOLAR RATIO Mg/P AND N/P AT DIFFERENT pH ON THE PHOSPHORUS REMOVAL



Influence of molar ratios Mg/P (1.0, 1.2, 1.5 and 2.0) and N/P (1.0, 2.0) at different pH on the PR.


Effect of molar ratio Mg/P and N/P at different pH on the phosphorus removal

The higher relative improve $\Delta PR/(\Delta Mg/P)$ is obtained at molar ratio Mg/P=1.20 for both relations N/P evaluated.



P-OP=200 ppm T=25°C Optimal pH operating conditions and maximum PR (%) at molar ratio Mg/P (1.0, 1.2, 1.5 and 2.0) and N/P (1.0, 2.0).

EFFECT OF IONIC STRENGTH



Effect of ionic strength in the optimal pH operating conditions and maximum PR (%) at molar ratios Mg/P = 1.2, N/P = 2.

P-OP=200 ppm T=25°C

CONCLUSIONS

- A hybrid optimization procedure combining a PS algorithm and SQP method has been developed to predict the potential P-OP removal as struvite from a wastewater stream with known chemical composition and defined operational precipitation conditions.
- 2. The predicted values matched fairly well with the experimental results for PR and equilibrium pH (in range 7.0-10.0) and for the concentrations tested (P-OP: 200 ppm, Mg/P=1.0 and N/P=2.0).
- For the P-OP concentration evaluated (200 ppm) the condition defined by molar ratios N/P=2.0 and Mg/P=1.20 result in a good industrial operation candidate: high PR (97.6%)) is achieved at a reasonably lower Mg concentration, which means lower reagents cost.
- 4. An **increment at ionic strength reduces the maximum PR** reached and increments the optimal pH.

Modelling the thermodynamic equilibrium of struvite precipitation using a hybrid optimization technique



Claudia Santiviago Petzoldt csantiviago@qui.una.py

 FACULATION
 INFORMATION

 INGENCIA NACIONAL
 DE INVESTIGACIÓN

 E INNOVACIÓN
 INNOVACIÓN

The project that gives rise to the results presented in this publication was funded by CONACYT through PROCIENCIA Program Fund resources for Excellence in Education and Research - FEEI from FONACIDE, Paraguay; and from the National Agency for Research and Innovation under the POS_NAC_2014_102893 code, Uruguay.